



# SAFETY DATA SHEET

## 1: IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product Name: **THIOFLEX 600 - GUN GRADE**

Application: Joint sealant

Company: **Fosroc Limited**

Address: Coleshill Road, Tamworth, Staffordshire. B78 3TL

Telephone: 01827 262222 (Out of Hours) 01827 265279 Fax: 01827 262444

## 2: COMPOSITION/INFORMATION ON INGREDIENTS

Composition: polysulphide polymer, chlorinated paraffin, inorganic fillers, manganese dioxide.


Hazardous Ingredient(s)	Symbol	Risk Phrases	Other Information	%
manganese dioxide	Xn	R20/22	Cas No: 1313-13-9	>10 <25
chlorinated paraffin C10-13	N	R50/53	Cas No: 085535-84-8	>25 <50
			Cas No:	
			Cas No:	
			Cas No:	

All constituents of this product are listed in EINECS (European Inventory of Existing Commercial Chemical Substances) or ELINCS (European List of New Chemical Substances) or are exempt.

Refer to Section 8 for Occupational Exposure Limits.

## 3: HAZARDS IDENTIFICATION


R20/22: Harmful by inhalation and if swallowed  
R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment



HARMFUL



Dangerous for the Environment



## 4: FIRST AID MEASURES

Eyes: Irrigate immediately with copious quantities of water for several minutes. Obtain medical attention urgently

Skin: Wash immediately with soap and water or suitable skin cleanser.

Inhalation: Remove from exposure.

Ingestion: Wash out mouth with water. Do NOT induce vomiting. Obtain medical attention. Beware of aspiration if vomiting occurs.

## 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Carbon dioxide, powder, foam or water fog - Do not use water jets.

Special Exposure Hazards: Toxic fumes. For further information see Section 10.

Special Protective Equipment: Self-contained breathing apparatus.

## 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear suitable protective clothing, gloves and eye/face protection

Environmental Precautions: Prevent entry into drains, sewers and water courses

Decontamination Procedures: Soak up with inert absorbent or contain and remove by best available means.  
Dispose of as waste.

---

## 7: HANDLING AND STORAGE

---

Handling: Avoid skin and eye contact. Do not eat, drink or smoke whilst using this product. Wash hands thoroughly after handling this product.

Storage: Store between (°C) 5 and 30. Store out of direct sunlight. Keep away from foodstuffs and food containers

---

## 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

Occupational Exposure Limits:-

Substance	8 Hour TWA	STEL	Source/Other Information
manganese and compounds (as Mn)	5 mgm <sup>-3</sup>		EH40

---

Engineering Control Measures: Use only in well ventilated areas.

Personal Protective Equipment: Avoid skin and eye contact. Safety glasses (Conforming to EN 166).  
Impervious gloves (eg nitrile or neoprene).

---

## 9: PHYSICAL AND CHEMICAL PROPERTIES

---

Physical State: Semi-solid ( multi-layer paste ).

Colour: Pigmented

Odour: Mercaptan odour.

pH(concentrate):

pH(working dilution):

Boiling Point/Range (°C):

Melting Point/Range (°C):

Flash Point (closed, °C): >100

Autoflammability (°C): None

Viscosity (at 20°C):

Explosive Properties (%):

Oxidising Properties: Not determined

Vapour Pressure (kPa at 20°C): Not determined

Relative Density (at 20°C): 1.6 - 1.7 (depending on colour)

Water Solubility: Insoluble

Fat Solubility:

Partition Coefficient (n-octanol/water):

Other data:

---

## 10: STABILITY AND REACTIVITY

---

Stability: Hazardous polymerisation will not occur.

Conditions to Avoid: Temperatures (°C) above 50.

Materials to Avoid: Strong oxidising agents. Strong acids.

Hazardous Decomposition Products: Thermal decomposition:- Irritant fumes. Chlorine compounds including hydrogen chloride. Carbon monoxide.

---

---

## 11: TOXICOLOGICAL INFORMATION

---

The following toxicological assessment is based on a knowledge of the toxicity of the product's components.  
Oral LD50, rat <1000 mg/kg.

### Health Effects

On Eyes: Causes transient irritation.  
On Skin: Mildly irritating.  
By Inhalation: Irritating to respiratory system.  
By Ingestion: Harmful if swallowed. May cause nausea, vomiting and diarrhoea.  
Chronic: Repeated and prolonged skin contact may lead to skin disorders.  
Other:

---

## 12: ECOLOGICAL INFORMATION

---

Environmental Assessment: When used and disposed of as intended, no adverse environmental effects are foreseen.  
Mobility: Insoluble in water.  
Persistence and Degradability: Expected to be not readily biodegradable.  
Bioaccumulative Potential: Not known.  
Ecotoxicity: Not ecotoxic to fish/daphnia/algae in cured state.

---

## 13: DISPOSAL CONSIDERATIONS

---

Disposal must be in accordance with local and national legislation.

Unused Product: Classified as a special waste. Dispose of through an authorised waste contractor to a licensed site.  
Used/Contaminated Product: As for Unused product.  
Packaging: Must be disposed of through an authorised waste contractor.

---

## 14: TRANSPORT INFORMATION

---

UN Number: 3077  
IMO: Class: 9 Packing Group: III Marine Pollutant: Yes  
IATA/ICAO: Class: 9 Packing Group: III  
ADR: Class: 9 Item: 12(c)  
Transport Name: Environmentally hazardous substance, solid, NOS. (Chlorinated Paraffin C<sub>10-13</sub>)  
Hazchem/Kemler Code:

---

## 15: REGULATORY INFORMATION

---

### Hazard Label Data:-

Named Ingredients: manganese dioxide  
UN Number: 3077  
Symbol(s): Xn,N  
Risk Phrases: R20/22: Harmful by inhalation and if swallowed.  
R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment  
Safety Phrases: S13: Keep away from food, drink and animal feeding stuffs.  
S24/25: Avoid contact with skin and eyes.  
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S36/37/39: Wear suitable protective clothing, gloves and eye/face protection.  
EC Directives: Dangerous Preparations Directive, 88/379/EEC.  
Safety Framework Directive, 89/391/EEC.

Statutory Instruments: Health & Safety at Work, etc. Act 1974.  
Environmental Protection Act 1990.  
Environmental Protection (Duty of Care) Regs. 1991 (SI 2839).

Codes of Practice: Waste Management. The Duty of Care.

Guidance Notes: Occupational exposure limits (EH 40).

The above publications are available from HMSO

---

## 16: OTHER INFORMATION

---

The data and advice given apply when the product is used for the stated application or applications. The product is not sold as suitable for any other application. Use of the product for applications other than as stated in this sheet may give rise to risks not mentioned in this sheet. The product should not be used other than for the stated application or applications without seeking advice from Fosroc Ltd.

If this product has been purchased for supply to a third party for use at work, it is the purchaser's duty to take all necessary steps to secure that any person handling or using the product is provided with the information in this sheet.

It is the responsibility and duty of the employer to inform employees and others who may be affected of any hazards described in this sheet and of any precautions which should be taken.

This sheet does not constitute or substitute for the users own assessment of workplace risk, as required by other health and safety legislation.

Further copies of this Safety Data Sheet may be obtained from Fosroc Limited.

Date Printed: 28/05/2002

SDS Reference: 3034/3033/3032

### REVISION

Supersedes issue no: 02 dated: 22.07.96

Sections updated/revised - no(s): 1 2,3,15.